


# FAVEN

## CHROMA

UNDER  
CANOPY  
LIGHTING

- ➔ 120W + 15W  
FAR RED LED  
UNDER CANOPY  
LIGHT
- ➔ INDEPENDENT  
**FAR RED** CHANNEL
- ➔ ADJUSTABLE  
SPECTRUM  
R4-R9 RED &  
WHITE



CHROMA BY FAVEN


XX

# TECHNICAL SPECIFICATIONS

| AMPS | DAISY-CHAIN<br>MAX #<br>CONNECTED | VOLTAGE |
|------|-----------------------------------|---------|
| 1.0  | 10                                | 120     |
| 0.5  | 17                                | 240     |
| 0.43 | 20                                | 277     |
| 0.25 | 35                                | 480     |



- ➔ 120W + 15W FAR RED DIMMABLE LED FIXTURE
- ➔ INDEPENDENT FAR RED CHANNEL
- ➔ ADJUSTABLE SPECTRUM R4-R9 RED & WHITE
- ➔ IP66 RATING
- ➔ 5YR WARRANTY



ADJUSTABLE STANDS  
8", 10", 12"



|                          |                                                 |
|--------------------------|-------------------------------------------------|
| PPE (MOL/J)              | up to 2.9                                       |
| PPF (MOL/S)              | up to 380                                       |
| INPUT POWER              | 120 W                                           |
| INPUT CURRENT            | 1.0A 0.5A 0.43A 0.25A                           |
| FREQUENCY                | 5-/60HZ                                         |
| FIXTURE<br>DIMENSIONS    | 45.6"L x 2.9"W x 3.3"H<br>11.57CM* 7.5CM* 8.5CM |
| WEIGHT                   | 5.72LB / 2.6KG                                  |
| THERMAL<br>MANAGEMENT    | PASSIVE                                         |
| OPERATION<br>TEMPERATURE | 95°F/35°C MAX                                   |
| LIGHT<br>DISTRIBUTION    | 120°                                            |
| DIMMING                  | 40% - 100% OFF                                  |
| LIFETIME                 | >50000 HRS                                      |


SEAMLESS CONNECTION






# ADJUSTABLE SPECTRUM


**R9**




**R8**




**R7**




**R6**



**R5**




**R4**



## INDEPENDENT FAR RED CHANNEL

Designed to run independently or  
in addition to any spectrum.

**FR**



### SALES AND INQUIRIES:

[sales@favenlighting.com](mailto:sales@favenlighting.com)

### TECHNICAL SUPPORT:

[support@favenlighting.com](mailto:support@favenlighting.com)

### YOUTUBE + INSTAGRAM:

[@favenlighting](https://www.youtube.com/favenlighting)



[info@favenlighting.com](mailto:info@favenlighting.com)



[favenlighting.com](https://www.favenlighting.com)